

Children's Mercy Kansas City

SHARE @ Children's Mercy

Research Days

GME Research Days 2020

May 11th, 11:30 AM - 11:30 AM

Clinical Risk Assessment for Testicular Torsion in the Emergency Department

Matthew Solove

Children's Mercy Hospital, msolove@cmh.edu

Follow this and additional works at: <https://scholarlyexchange.childrensmercy.org/researchdays>



Part of the [Higher Education and Teaching Commons](#), [Medical Education Commons](#), [Pediatrics Commons](#), and the [Science and Mathematics Education Commons](#)

Solove, Matthew, "Clinical Risk Assessment for Testicular Torsion in the Emergency Department" (2020). *Research Days*. 14.

https://scholarlyexchange.childrensmercy.org/researchdays/GME_Research_Days_2020/researchday1/14

This Poster Presentation is brought to you for free and open access by the CONFERENCES, EVENTS, GRAND ROUNDS at SHARE @ Children's Mercy. It has been accepted for inclusion in Research Days by an authorized administrator of SHARE @ Children's Mercy. For more information, please contact library@cmh.edu.

Quality Improvement Abstract Title

Submitting/Presenting Author (must be a trainee): Matthew Solove

Primary Email Address: msolove@cmh.edu

Resident/Psychology Intern
 Fellow

Primary Mentor (one name only): Shobhit Jain, MD

Other authors/contributors involved in project:

John Gatti, MD; Azadeh Wickham, FNP; Jeffrey Michael, DO

IRB Number (if applicable): STUDY00000908

Describe role of Submitting/Presenting Trainee in this project (limit 150 words):

Primary Investigator

Problem Statement/Question, Background/Project Intent (Aim Statement), Methods (include PDSA cycles), Results, Conclusions limited to 500 words

Problem Statement/Question:

Can implementation of TWIST scores improve the clinical risk assessment of testicular torsion and decrease healthcare costs while maintaining the timely management of testicular torsion that has previously been achieved at Children's Mercy Hospital?

Background/Project Intent (Aim Statement):

Testicular torsion is a surgical emergency with an incidence of 3.8 per 100,000 pediatric patients. Efficient diagnosis with rapid operative repair reduces the risk of testicular loss. Previous work at our institution effectively improved timely management of testicular torsion from emergency department (ED) arrival to the operating room (OR). Relying on ultrasound findings for the diagnosis of testicular may increase time to the OR and healthcare costs. The TWIST (Testicular Workup for Ischemia and Suspected Torsion) clinical score is a risk assessment tool that serves to direct the history and physical examination specifically for the evaluation of acute scrotal pain to include key factors predictive of testicular torsion. The score includes 5 components – testicular swelling, hard testicle, absent cremasteric reflex, high-riding testicle, and nausea/vomiting with a total score range of 0-7. Higher scores (≥ 5) are associated with torsion, though cutoffs vary between studies. The TWIST score has been studied since 2013, but not widely implemented in the ED setting.

For this pilot phase, we aimed to increase the utilization and documentation of the TWIST score by clinicians in their evaluation of patients with testicular torsion from less than 5% to 50%. For the next phase of this project, we plan to reduce the number of ultrasonography studies in patients with a high-risk TWIST score.

Figure 2. XbarS Chart, ED Arrival to OR time

